

TEXTURE SPRAYERS

Graco's Complete Line of Professional Texture Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.



THE MOST COMPLETE AND HIGHEST PERFORMING TEXTURE SPRAYER LINE

Experienced contractors know the difference. Graco professional texture sprayers are recognized as solid investments that perform reliably, year after year. Regardless of your texture application—decorative or smooth finishes, exterior or interior—Graco has a complete solution for you.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality texture airless sprayers available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco professional texture sprayers are designed, manufactured, and assembled in the USA with global components.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never use Graco's warranty — but if you do, we will be there.



GRACO-ONLY SOLUTIONS THAT KEEP YOU SPRAYING



PATENT PENDING

THE LONGEST LASTING PUMPS EVER BUILT

- Longest life in the industry with Vortex[™] rotating piston rod
- 6X more gallons sprayed between repacks
- Extends pump rod life by 3X
 — delivering the industry's
 lowest cost of ownership



(PATENT PENDING)

STREAMLINE YOUR BUSINESS WITH BLUELINK™ SYSTEM

- Track every sprayer exact location and hourly productivity
- Know job progress ensure you're on time with needed materials
- Maximize uptime—set maintenance schedules, alerts, and jobsite notes

MAXFIo™ 2

(PATENT PENDING)

TRUE PACK-OUT PROTECTION

- Self-cleaning Vibra-Seal[™]
 Technology provides more productivity
- Optimized fluid passageways for the heaviest coatings



PATENTED

THE EASIEST MAINTENANCE

- ProConnect[™] 2 swap your pump in minutes with no tools
- Eliminates costly jobsite downtime
- QuikPak[™]— repack your pump in minutes



RotoFlex™

GRACO EXCLUSIVE

INNOVATIVE ONE-PIECE PUMP

- Flow-through design delivers smooth material flow
- Unmatched durability and lowest cost of ownership
- Exclusive FlexChange[™] no-tools pump replacement system



GRACO EXCLUSIVE

SMARTSTART™ SYSTEM

- Automatically start and stop the pump and compressor
- Soft-start eliminates material blasts to ensure a quality finish
- Reduces noise and vibration while extending pump and compressor life

Wide**Tex**™

PATENT PENDING

WIDETEX™

- Delivers wide fan-spray pattern to finish faster
- Delivers the most consistent pattern
- Eliminates fatigue associated with circular gun movement

Pressure Boost

GRACO EXCLUSIVE

PRESSURE BOOST TECHNOLOGY

- Exclusive pressurized hopper gun design
- 6X faster than traditional hopper guns
- The power of a large spray rig in the palm of your hand



GET THE INTERIOR AND EXTERIOR FINISH YOU WANT


With the widest selection of texture sprayers to choose from and a host of performance enhancing accessories, there is a TexSpray[™] texture sprayer to help you complete your projects—no matter what finish you desire.

INTERIOR TEXTURE

	SIMULATED ACOUSTIC (POPCORN)	ORANGE PEEL, FINE SPLATTER	SPLATTER	KNOCH
COMMONLY USED MATERIALS	Ceiling Spray Textures Containing Polystyrene or Vermiculite Aggregate (Fine, Medium, Coarse)	All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures	All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures	All-Purpose Jo Lightweight Jo Wall and Ceiling
SPRAYER RECOMMENDATIONS MIN	Gravity-Fed Hopper Gun FastFinish™ Hopper Gun RTX™ 1400sı RTX 2000pı RTX 2500pı RTX 5000pı GTX 2000Ex HTX™ 2030 10:1 President® T-MAX 6912™	Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 1400sı RTX 2000pı RTX 2500pı RTX 5000pı GTX 2000ex T-MAX 6912" Mark IV"* Mark V"* Mark V 240 Volt"* 5900 HD* 7900 HD* 7900 HD* HTX 2030 DutyMax GH 230pı*	Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 1400sı RTX 2000pı RTX 2500pı RTX 5000pı GTX 2000ex T-MAX 6912" Mark IV* Mark V Mark X 240 Volt* 5900 HD* 7900 HD* 7900 HD* HTX 2030 DutyMax GH 230pi*	Gravity-Fed Hopp FastFinish Hopp RTX RTX RTX GTX T-MA Mark X 2- 59 79 HT: DutyMax GH
TEXTURE ACCESSORIES	WIDETEX KIT – 24S142 (RTX 1500, GTX 2000ex) SIPHON KIT – 248112 (GTX 2000ex) AIR LINE KIT – 248117 (GTX 2000ex)	WIDETEX KIT − 24S142 (RTX 1500, GTX 2000≥) SIPHON KIT − 248112 (GTX 2000≥) AIR LINE KIT − 248117 (GTX 2000≥) AIR ATOMIZER KIT − 244223 (Mark IV, Mark V, 5900 HD, 7900 HD) 25 GAL. HOPPER − 287987 (Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, TX 2030) 55 GAL. SIPHON SET − 289669 (Mark X 240 Volt, 7900 HD)	WIDETEX KIT − 24S142 (RTX 1500, GTX 2000ы) SIPHON KIT − 248112 (GTX 2000ы) AIR LINE KIT − 248117 (GTX 2000ы) AIR ATOMIZER KIT − 244223 (Mark IV, Mark V, 5900 HD, 7900 HD) 25 GAL. HOPPER − 287987 (Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030) 55 GAL. SIPHON SET − 289669 (Mark X 240 Volt, 7900 HD)	AIR ATOMIZER (Mark IV, Mark V, 5900 I 25 GAL. HOPPEI (Mark IV, Mark V, Mark V, 5900 HD, 177 2300," DutyMax GH 300 55 GAL. SIPHOI (Use with Mark X 240 Vi, DutyMax GH 2300," Duty



EXTERIOR TEXTURE



FINISH SMALL TEXTURE JOBS UP TO 6X FASTER

THE POWER OF A LARGE SPRAY RIG IN THE PALM OF YOUR HAND

Innovative system uses air to boost performance and deliver a superior spray finish.

HOLD 20 LBS OVER YOUR HEAD FOR ONE HOUR —OR JUST 10 MINUTES?



See FastFinish in action!





HOW IT WORKS

- 1) Air enters gun
- 2) Adjustable Flow Control sends air to hopper
- 3) Air pushes down on material
- 4) Pressurized material and air mix, creating a texture finish

TEXSPRAY FASTFINISH TEXTURE SPRAY SYSTEM

Small and portable, FastFinish maximizes material and air flow—making it the ideal solution for smaller texture jobs.

TEXSPRAY FASTFINISH PRO TEXTURE SPRAY SYSTEM INCLUDES:



FASTFINISH CF9 AIR COMPRESSOR PATENT PENDING

Powerful 9 cfm @ 40 psi (Maximum pressure 60 psi)

· Better atomization and projection

Heavy-Duty 2 HP AC Motor

• 120 V, 15 amp

Piston-Powered Tankless Design

- 4X larger passageways deliver 30% more airflow
- Always ready to spray: no draining or maintenance

FASTFINISH
PRESSURE-BOOSTED
HOPPER GUN (PATENT PENDING)

4 mm, 6 mm, 8 mm Nozzles WideTex Fan Spray Kit Sealed Hopper to keep material fresh

Spray overhead and in tight spaces without spills

3/8 IN X 50 FT Premium Non-Marking Air Hose

Light and Portable Cart Design

· One-person loading

SPRAYS ALL FINISHES:

- Acoustics
- Deck coatings
- · Drywall mud
- Fireproofing
- Knockdown
- Waterproofing
- Splatter
- · Deck coatings
- · Orange peel
- Much more
- · Fine concrete overlays



TEXSPRAY FASTFINISH	PART #	INCLUDES
FastFinish Pro Texture Spray System	25D492	FastFinsh Pressure-Boosted Gun, CF9 Compressor, 3/8 in x 50 ft Air Hose
FastFinish Standard Texture Spray System	25D494	G-TEX Gravity-Feed Gun, CF9 Compressor, 3/8 in x 50 ft Air Hose
FastFinish CF9 Air Compressor	25D490	CF9 Air Compressor Only
FastFinish Pressure-Boosted Hopper Gun	25D496	FastFinish Pressure-Boosted Gun, 1.5 Gallon Hopper, 3 Nozzles, WideTex
G-TEX Gravity-Feed Hopper Gun	25D497	G-TEX Gravity-Feed Gun, 1.5 Gallon Hopper, 3 Nozzles

CHOOSE THE RIGHT SERIES OF TEXTURE SPRAYER

With a Graco air compressor built in, these air-assisted texture sprayers are complete "out-of-the-box" solutions that are built to make your work easier, faster, and more productive.

Only Graco is committed to professional texture contractors by offering the widest variety of texture solutions.



EVERYDAY RELIABILITY

Residential and Remodel Contractor

- Applying texture periodically
- · Jobs are often smaller
- Need everyday reliability
- Don't need extra features



Large Residential and Commercial Interior Contractor

- Applying texture every day
- Tackle medium to large projects
- · Moving frequently from job to job
- · Need time-saving features to get on to the next job



FOR THE TOUGHEST JOBS

Large Commercial and Commercial Exterior Contractor

- Applying exterior texture finishes often
- · Complete small, medium, and large jobs
- Need a powerful vet compact sprayer for a wide range of materials





Material Flow Air Flow

RTX 1400si 1.4 GPM (5.3) 6.1 CFM (.17)



RTX 2000PI 2.0 GPM (7.6) 6.1 CFM (.17)











RTX 5000PI















RTX 5500px 5.5 GPM (21) 9.1 CFM (.26)

INTERIOR JOBS

EXTERIOR JOBS



RTX STANDARD INTERIOR SERIES

EVERYDAY RELIABILITY

RTX Standard Interior Series sprayers are designed for the residential and repaint contractor that demands everyday reliability.



GET THE JOB DONE OUICKLY

Jobsite-Proven RotoFlex II Pump

- 1.4 gpm output
- Innovative braided pump tube for longest life

33% MORE AIR FOR DEMANDING FINISHES

High-Output 6.1 cfm Air Compressor

- · High-output, maintenance-free design
- · Projects materials farther



IMPROVED POWER AND PERFORMANCE

120 V AC High-Output Electric Motor

 Optimized single-motor design operates air compressor and RotoFlex[™] pump

IMPROVED HANDLING AND FLEXIBILITY

Skip-Bond Material/Air Hose

• Both hoses are permanently bonded together for easy handling

ELIMINATE COSTLY DOWNTIME

FlexChange Pump Section

 Swap your RotoFlex pump in seconds no tools required

MAXIMUM CONTROL

Adjustable Material Flow Control

 Quickly adjust material flow up or down with easy-to-read gauge

COMFORTABLE SPRAYING

Lightweight Spray Gun

• Easy-to-use air and trigger adjustments in a durable, corrosion-resistant design

CONVENIENT STORAGE

Onboard Toolbox

Conveniently store nozzles and accessory items

TEXSPRAY RTX STANDARD INTERIOR SERIES	PART #	GPM (LPM)
TexSpray RTX 1400sı	17H572	1.4 (5.3)

RTX PRO INTERIOR SERIES



WORK SMARTER, FINISH MORE JOBS

Optimized texture systems perfect for contractors seeking time-saving features to increase productivity to get to the next jobsite faster.



RTX Pro Interior Series sprayers include:

- RotoFlex Pump
- · High-Output Air Compressor
- FlexChange Pump Section



PLUS TRIGGER-ACTIVATED POWER

SmartStart System

- Automatically start and stop the pump and compressor
- · Soft-start eliminates material blasts to ensure a quality finish
- · Reduces noise and vibration while extending pump and compressor life



TOTAL SPRAY CONTROL

Heavy-Duty Aluminum Trigger Gun

· Select prime mode at the gun with Integrated Prime Selector

 Spray more material longer with durable aluminum design and oversized passages

MORE AIR FOR DEMANDING FINISHES

Twin-Cylinder Air Compressor (5000pi only)

· High-output, maintenance-free design runs at lower RPM for longest life

INCREASE PRODUCTIVITY BY OVER 20%

WideTex Tips and Adapter

• Spray uniform, repeatable patterns with less material and pressure adjustment

IMPROVED HANDLING AND FLEXIBILITY

Skip-Bond Material/Air Hose

· Both hoses are permanently bonded together for easy handling



120 V MaxPower®

TEXSPRAY RTX PRO INTERIOR SERIES PART # TexSpray RTX 2000PI 17H573 TexSpray RTX 2500PI 17U219 2.5 (9.5) TexSpray RTX 5000PI 17H575 5.0 (18.9)



RTX PRO EXTERIOR SERIES

TACKLE EXTERIOR JOBS OF ALL SIZES

Ideal for large residential and commercial contractors needing a compact yet powerful texture sprayer capable of handling a wide variety of materials, such as synthetic stuccos, deck coatings, and more.

RTX Pro Exterior Series sprayers include:

- RotoFlex Pump
- FlexChange Pump Section

PLUS Trigger-activated power

SmartStart System

- Automatically start and stop the pump and compressor
- Soft-start eliminates material blasts to ensure a quality finish
- Reduces noise and vibration while extending pump and compressor life

MORE AIR FOR DEMANDING FINISHES

Twin-Cylinder Air Compressor

 High-output, maintenance-free design runs at lower RPM for longest life

INCREASE PRODUCTIVITY BY OVER 20%

WideTex with Hardened Tips and Adapter

- Spray uniform, repeatable patterns with less material and pressure adjustment
- 2X harder than Standard WideTex tips!

ADDED AIR CAPABILITY

External Air Input

 Allows external air to be used for demanding finishes

TOTAL SPRAY CONTROL

Heavy-Duty Aluminum Trigger Gun

- Select prime mode at the gun with Integrated Prime Selector
- Spray more material longer with durable aluminum design and oversized passages

IMPROVED HANDLING AND FLEXIBILITY

Heavy-Duty Material/Air Hose

 Both hoses are permanently bonded together for easy handling

240 V POWER OPTION

TexSpray RTX 5500px

 Connects to standard 220-240 V L6-30 receptacles (3 wire) on most distribution boxes or generators



TEXSPRAY RTX PRO EXTERIOR SERIES	PART #	GPM (LPM)
TexSpray RTX 5000px	17H579	5.0 (18.9)
TexSpray RTX 5500px	17H581	5.5 (20.8)

HTX 2030 GAS MECHANICAL TEXTURE SPRAYER

SPRAY THE MOST DEMANDING MATERIALS

The HTX 2030 is specifically engineered to spray nearly everything — from exterior smooth and aggregate coatings, elastomerics, acrylic coatings, drywall mud finishes, as well as paints and primers, with the available high-pressure MaxLife® Endurance™ Pump.



TIME-SAVING PRODUCTION RATES

High-Output Texture Pump

- Pump aggregated materials up to 2.0 mm with extra large passages
- More uptime with no-tools hose connections at pump and gun
- Consistent, optimal performance with innovative foot valve soft seal



FULL-RANGE FLOW CONTROL

PowerFlo™ Control System

- Remotely stops and starts material flow right at the pump
- Smooth, controlled material flow prevents pack-out conditions
- Soft start eliminates material blast to ensure finish quality

REDUCED PACK-OUT CONDITIONS

StraightThru™ Fluid Path

Easily spray more demanding and aggressive aggregate materials

APPLICATORS FOR EVERY JOB

FreeFlo™ Inline Gun

 Maximum flow from oversized, unobstructed fluid passages

NEW! STX Trigger Gun Applicator

- Virtually eliminates pack-out, while providing a soft-start when trigger is pulled
- Automatically turns on/off pump with trigger for easier operation
- Ideal for spraying EIFS and synthetic stucco finish coats
- Consistent material coverage in either a round pattern or wide fan pattern

3 ft Pole Gun*

- Extended reach to minimize repositioning of lifts and ladders
- Spray in a wide fan pattern


FlexHead™ Pole Gun*

- Greater control in tight areas on scaffolding and around architectural detail
- · Spray in a wide fan pattern

Primers,

TEXTURE APPLICATIONS

Interior and exterior texture finishes with aggregate size up to 2.0 mm



(Popcorn)	Elastomerics	FINISH COALS	(Airless)	(Airless)	
TEXSPRAY HTX			PART #	GPM (LPM)	
TexSpray HTX 2030 Complete w/FreeFlo In	iline Gun w/50' Hose)	258740	3.0 (11.4)	
TexSpray HTX 2030 Complete w/STX Trigg	er Gun Applicator w/	50' Hose	26C681	3.0 (11.4)	
TexSpray HTX 2030 Complete w/STX Trigg	er Gun w/100' Hose		26C682	3.0 (11.4)	
TexSpray HTX 2030 Complete Plus+ w/Fre	eeFlo Inline Gun w/50)' Hose	258741	3.0 (11.4)	
TexSpray HTX 2030 Complete Plus+ w/ STX	Trigger Gun Applicato	or w/50' Hose	26C683	3.0 (11.4)	
TexSpray HTX 2030 Complete Plus+ w/ STX	Trigger Gun w/100' I	Hose	26C684	3.0 (11.4)	



TexSpray HTX 2030 Complete



TexSpray HTX 2030
Complete +

AIR-POWERED TEXTURE SPRAYERS

HIGH-PERFORMANCE SOLUTIONS FOR HEAVY-DUTY JOBS

Powered by your external air compressor, these air-powered texture solutions get the job done fast — whether coating a large interior surface or applying an exterior aggregate finish on a large commercial job.



GTX 2000EX

A highly portable texture system for both smooth materials and those with fine aggregates, the GTX 2000EX is the ideal solution for drywall muds, deck coatings, and exterior aggregate acrylic and elastomeric finishes.

TEXSPRAY GTX	PART #	GPM (LPM)
TexSpray GTX 2000EX	257030	4.0 (15.1)

JOBSITE-PROVEN PERFORMANCE

Husky™ 1040 Double Diaphragm Pump

• Texture delivery rates to 4.0 gpm from durable, high-output 1-inch pump

DURABLE, USER-FRIENDLY SPRAYING

Air Spray Heavy-Duty Trigger Gun

- Pump heavy mud mixes and larger aggregate with oversized fluid passages
- Quick nozzle changes with extra-coarse gun head threads

LONGER SPRAY TIME

Largest 17-Gallon Capacity Hopper

• Easy cleanup and removal with no tools

COMPLETE CONTROL

Separate Pump/Gun Air Controls

Produce precise, consistent, and repeatable texture finishes

IMPROVED HANDLING AND FLEXIBILITY

Skip-Bond Material/Air Hose

- Both hoses are permanently bonded together for easy handling
- Oversized grip with no-tools hose connection

MOISTURE BUILDUP ELIMINATED

Onboard Air Filtration

 Automatically filters air to keep your sprayer running at optimal performance



PRESIDENT 10:1

The President 10:1 is the ideal solution when you need to pump from a drum. This proven sprayer is ideal for smooth to heavily aggregated materials containing silica sand, perlite, vermiculite, or polystyrene.

EASY SETUP AND OPERATION

EvenFlow® Valve

 Smooth, even material flow with air regulators and pressure gauges

CONSISTENT FINISH OUALITY

Relax-A-Valve (Carbon Steel Model Only)

 Eliminates the material blast and ensures a soft start with easy trigger pull

TIME-SAVING PRODUCTION RATIOS

High-Output Piston Pump

- Submerged foot valve ensures the pump is preloaded with material
- Texture delivery rates to 3.0 gpm (11 lpm) at 1000 psi (69 bar)
- Available in both carbon steel and stainless steel

MAINTENANCE-FREE DESIGN

Heavy-Duty Graco Air Motor

 Proven air motor delivers years of reliable, dependable operation

EASY DRUM MOUNTING

Convenient Drum Mount Setup

- Save space in your truck or on the job by mounting directly to material containers
- Use in open or closed head drums (carbon steel units)

PRESIDENT 10:1	PART #	GPM (LPM)
President 10:1 Carbon Steel Complete*	225886	3.0 (11.4)
President 10:1 Carbon Steel Complete*	225877	3.0 (11.4)
President 10:1 SST Complete*	987429	3.0 (11.4)
President 10:1 SST Bare*	954088	3.0 (11.4)

TEXSPRAY T-MAX™ 6912

THE NEXT LEVEL IN POWER AND VERSATILITY

The New Graco T-MAX 6912 provides the versatility and performance to spray almost all interior and exterior texture applications — whether you're spraying smooth compounds for interior skim coats and decorative finishes or aggregate-based materials for exterior jobs.



SUPERIOR VERSATILITY FOR TEXTURE APPLICATIONS AND MATERIALS

- Airless: Easily apply skim coats without a compressor
- Air-Assisted: Spray decorative finishes and heavy aggregates up to 2 mm with your external air compressor*



ULTIMATE POWER AND CAPABILITY TO HANDLE MOST TEXTURE APPLICATIONS

• 1000 psi and 3.2 gpm from the industry-proven T-MAX Pump

EASY-TO-USE AND MORE FORGIVING FOR THE BEST FINISH

- · Precision pressure and flow control
- Innovative STX[™] Gun provides soft-start operation that eliminates material bursts

EVEN MATERIAL FLOW AND LESS PACK-OUT

· Oversized passages for maximum productivity

EASY TRANSPORT

- Modular frame provides easy, no-tools connect and disconnect
- Wheeled pump and hopper modules allow for easy, independent transport or storage

SIMPLE JOBSITE OPERATION

- Plug-in anywhere with 120 V capability
- Keep sprayer in-place with long, extended hose lengths

FAST, EASY CLEANUP AND PUMP MAINTENANCE

 Access pump internals in seconds without tools — even with a full hopper



SPRAYS THE WIDEST RANGE OF TEXTURE MATERIALS



*Separate air compressor required. Requires minimum 20 SCFM air compressor.

TEXSPRAY T-MAX 6912	PART #	GPM (LPM)
TexSpray T-MAX 6912 - 50 ft Air-Assisted w/ STX Gun and Hopper	17Z283	3.2 (12)
TexSpray T-MAX 6912 - 50 ft Airless Model w/ Lance and Hopper	17X989	3.2 (12)
TexSpray T-MAX 6912 - 100 ft Air-Assisted w/ STX Gun and Hopper	17Z284	3.2 (12)
TexSpray T-MAX 6912 - 100 ft Air-Assisted w/ STX Gun, Mixer and Hopper	17Z703	3.2 (12)
TexSpray T-MAX 6912 - 100 ft Air-Assisted w/ STX Gun and 55 Gallon Siphon Set	18A556	3.2 (12)

EXCLUSIVE FEATURES TO KEEP YOU SPRAYING



120V MAXPOWER™ DC MOTOR -

- Use with standard 15/20 amp circuits
- No-maintenance, brushless design keeps debris out
- Lifetime Guaranteed

SMARTCONTROL™ 3.0

consistent material flow

• Provides Airless or Flow mode

• LED Display shows pressure,

gallons, and more

· Delivers smooth,

HEAVY-DUTY MODULAR FRAME

- Steel construction withstands jobsite abuse
- · Easy, no-tools connect and disconnect
- Small, compact and balanced design for easy maneuvering



OVERSIZED HOPPER WITH LID

- 25 Gallons for less refilling
- Steep-sided design keeps material flowing

QUICK-ACCESS PISTON PUMP

- Access any part of the pump in seconds — without tools
 - Even with a full hopper of material



SMALL, COMPACT, — AND MANEUVERABLE

- Balanced design for easy rolling — even when full
- · Locking front swivel caster wheel





HOSES AND APPLICATORS

- Flexible hose sets available in various lengths
- Choose between airless Inline Lance or air-assisted STX applicator, both featuring 360° live swivel for effortless spraying.
- Pole applicators available for extended reach

INDUSTRY-PROVEN T-MAX PUMP

PATENT PENDING

- Proven design delivers long life with minimal maintenance
- Oversized passages ensure minimal pressure drop
- Long-life thick chrome rod and sleeve construction



INNOVATIVE NEW STX GUN

PATENT PENDING

- Automatic sequential shut-off stops pump first, then air and material, for less pack-out
- Forgiving soft start operation eliminates material bursts to deliver smooth finishes
- Perfect for decorative finishes with smooth or aggregate materials up to 2 mm



AIRLESS TEXTURE SPRAYERS

NOT YOUR TYPICAL AIRLESS SPRAYER!

The TexSpray family of airless texture sprayers provides the jobsite flexibility you need with technologies no other airless sprayer can offer. ALL TexSpray airless texture sprayers are engineered for medium to high-viscosity coatings to deliver the best spraying performance and maximum productivity.

OPTIMIZED TO HANDLE THICK AND HEAVIER MATERIALS

- · Larger particles pass easier
- · Less material pack-out
- Less pressure drop
- · Maximized productivity

LARGER INTERNAL PASSAGES FROM PUMP TO GUN

LIKE 3 UNITS IN 1:

- Paint: sprays the full range of paints and primers
- Heavy Coatings: Level 5, Drywall Mud, fireproofing, waterproofing, vapor-barrier, and more
- Decorative Texture: Orange Peel, Splatter, and Knockdown (with Air-Atomizer Kit)



AIRLESS TEXTURE SPRAYERS FOR EVERY JOBSITE

Graco offers three separate families of airless texture sprayers to provide power and size options to handle every jobsite condition so you can get the job done right, every time.

MARK

Electric-Powered

Ideal for Interior Finishes and Coatings

 Level 5, textured finishes with drywall mud, fire-stop, fireproofing, vapor barrier, duct sealant and, more



Gas-Powered, Mechanical

Ideal for Exterior Coating Applications

 Elastomerics, waterproofing, vapor barriers, roof coatings, and other heavy exterior coatings



DUTYMAX

Gas-Powered, Hydraulic

Ideal for Exterior Coating Applications on the Biggest Jobs

- Elastomerics, drywall mud, waterproofing, vapor barriers, roof coatings, and other heavy coatings, duct sealant, and more
- Indoor and outdoor use—swap gas engine for electric motor in seconds (GH 230DI Convertible)





CHOOSE THE RIGHT SERIES OF AIRLESS TEXTURE SPRAYER FOR YOUR BUSINESS

Only Graco is committed to meeting the needs of professional contractors by offering three different series of airless texture sprayer models.



EVERYDAY RELIABILITY

Small Residential and Light Commercial Contractor

- Spraying multiple days a week
- Typically with jobs on the smaller side
- Demanding everyday reliability
- · Don't need a lot of extra features



WORK SMARTER, FINISH MORE JOBS

Large Residential and Commercial Contractor

- Spraying every day
- Tackling medium-to-large projects
- Moving frequently from job to job
- Requiring features that save you time and get you to the next job site faster



BEYOND JOBSITE TOUGH

Large Commercial and Industrial Contractor

- Spraying continuously in less-than-ideal conditions
- Handling large, long-duration projects requiring large material volumes
- Keeping your equipment on-site in material
- Requiring extreme durability and reliability



BREAKTHROUGH ENDURANCE VORTEX MAXLIFE AND MAXLIFE EXTREME™ TECHNOLOGY

THE LONGEST LASTING PUMPS EVER BUILT





Endurance Chromex™ Pump Lasts 2X longer than the next leading brand



MaxLife Pump 6X longer between repacks



MaxLife Extreme Pump
Extends pump rod life by 3X—
delivering the industry's lowest
cost of ownership



SPRAYS THE WIDEST RANGE OF COATINGS

- Oversized clearances for maximum performance
- Maximum flow with heavy materials



EASIEST SERVICE IN THE INDUSTRY

QuikPak Cartridge System

• Repack the entire pump in less than 2 minutes

ProConnect 2 Pump Replacement

· Pre-assembled modular replacement

QuikAccess™ Intake Foot Valve

• Clear debris faster with easy inlet ball access



MAXFLO 2 WITH PACK-OUT PROTECTION

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Pack-Out Protection for more productivity
- Optimized fluid passageways for the heaviest coatings







VORTEX ROTATING PISTON TECHNOLOGY KEEPS YOU SPRAYING

PATENT PENDING

Built with Graco exclusive EXTREME ROD that is an abrasion-resistant composite to deliver the most durable, hardest wear surface possible

6X more gallons sprayed between repacks—Extreme Composite extends pump rod life by 3X, delivering the industry's lowest cost of ownership







PATENT PENDING

VORTEX TECHNOLOGY

extended life

HELICAL DESIGN

Delivers high-velocity flow to rotate pump rod as you spray







NEW WAY

Modular pre-oiled cartridge packings install correctly every time



REPACK YOUR PUMP IN MINUTES



1) Insert pre-oiled packing cartridge assembly



2) Remove disposable clip



3) Assemble pump




STREAMLINE YOUR BUSINESS

BlueLink connects the people and equipment that drive your business in a completely new way. Whether on the jobsite, at the office, or anywhere in between, BlueLink provides the critical information you need every day—including real-time jobsite access, instant maintenance alerts, on-demand productivity reports, and much more!



TRACK EVERY SPRAYER

- Know exact locations and hourly productivity
- Make fewer trips to jobsites



KNOW JOB PROGRESS

- On-demand productivity facts and reporting from anywhere
- Ensure you're on time with needed materials



MAXIMIZE UPTIME

- Set preventive maintenance schedules and receive alerts
- Ensure your sprayer is ready for every job



PERFECT FOR ANY COMPANY SIZE

- · Streamline existing operations
- Owner-operators to large contractors



FASTER SERVICE AND SUPPORT

- Quick access to Graco product information and your nearby distributor
- Helpful application, maintenance, and parts resources



FLEXIBLE PLATFORM

- Available in 9 languages
- Available on Apple® and Android® devices

NO MONTHLY FEES

Put BlueLink to work for your business today

> DOWNLOAD THE BLUELINK APP NOW!



raco.com/BlueLink

MARK STANDARD SERIES



EVERYDAY RELIABILITY

Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.



THE MOST RELIABLE PUMP

New Endurance Chromex Piston Pump

- Lasts 2X longer than the next leading brand
- Long-life ceramic and stainless steel balls included for maximum versatility
- Faster cleaning with the QuikAccess intake foot valve

LESS PACK-OUT, MORE PRODUCTIVITY

New MaxFlo 2 with Pack-Out Protection

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Pack-Out Protection for more productivity
- Optimized fluid passageways for the heaviest coatings



PRECISION PRESSURE CONTROL

New SmartControl 4.0 with ProGuard Protection System

- Lowest dead band at any pressure delivers a consistent spray fan without pressure fluctuation
- Prevents electrical damage from extreme jobsite power conditions
- WatchDog Pump Protection System automatically prevents pump damage if the material supply is too low

FAST CLEANING NOW EVEN FASTER

New FastFlush 2 System

- Clean the pump 6X faster using 1/2 the water
- High-velocity fluid flow delivered with 60% higher motor speed

GET MORE WORK DONE

Worry-Free MaxPower Motor

- Proven performance for all painting applications
- High-torque brushless design with a Lifetime Warranty
- Use longer cords, regardless of voltage fluctuations

THE LONGEST LASTING DRIVE

Precision Advantage Drive™

- Improved jobsite conditions with extremely quiet operation
- · Lifetime warranty



 TEXSPRAY MARK STANDARD SERIES
 PART #
 GPM (LPM)

 Mark IV
 17E603
 1.10 (4.1)

 Mark V
 17E605
 1.35 (5.1)

 Mark X
 17E608
 2.10 (8.0)



MARK PROCONTRACTOR™ SERIES

WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



LONGER PUMP LIFE

New Endurance Vortex MaxLife Piston Pump

Breakthrough Vortex Rotating Piston Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate piston for even wear
- · Go 6X longer between repacks with innovative MaxLife coating
- · Longest-life packings and piston rod
- · Long Life ceramic and stainless steel balls included for maximum versatility

EASY HOSE MANAGEMENT QuikReel™ Hose Management System

- Deploy and rewind up to 300 feet of hose in seconds
- · No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel

ELIMINATE COSTLY DOWNTIME

ProConnect 2 Pump Replacement **System**

 Swap your pump in less than 1 minute — no tools, pins, or parts to lose

IMPROVED FILTRATION

Crushproof Inlet Strainer

 Stands up to harsh impacts to maintain filtering and flow

Mark ProContractor Series sprayers also include all Standard Series features:

- NEW BlueLink Job and Sprayer Management System
- NEW SmartControl 4.0 with ProGuard
- **NEW** MaxFlo 2 with Pack-Out Protection
- NEW FastFlush 2
- · WatchDog Pump Protection System
- · Easy Out Pump Filter
- Precision Advantage Drive
- MaxPower Motor
- · Heavy-Duty Prime Valve
- · Rugged, Durable Cart Design



Ready to Work: complete with texture gun, 3/8 in x 50 ft Blue Max II hose, whip hose, and RACX SwitchTip

BlueLink Job and Sprayer

TEXSPRAY MARK PROCONTRACTOR SERIES	PART #	GPM (LPM)
Mark IV	17E604	1.10 (4.1)
Mark V	17E606	1.35 (5.1)
Mark X	17E609	2.10 (8.0)

MARK IRONMAN SERIES

BEYOND JOBSITE TOUGH

IronMan Series electric sprayers are built to routinely handle the rugged demands of large commercial and industrial jobs—day in and day out.



THE LONGEST DURABILITY AND LIFE

New Endurance Vortex MaxLife Extreme Piston Pump

Breakthrough Vortex Rotating Piston Technology Keeps You Spraying:

- · Longest life packings and piston rod
- 3X pump rod life
- Maximum versatility no matter what you're spraying
- Long-life ceramic and stainless steel balls included for maximum versatility



ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

Swap your pump in less than 1 minute
 — no tools, pins, or parts to lose



NEVER HAVE A FLAT AGAIN

Flat Proof Tires

 No tire puncturing from nails, screws, or any sharp debris



Mark IronMan Series sprayers also include all Standard Series features:

• **NEW** BlueLink Job and Sprayer Management System

Ready to Work: complete with texture gun, 3/8 in 50' Blue Max II hose,

whip hose, and RACX SwitchTip

- NEW SmartControl 4.0 with ProGuard
- **NEW** FastFlush 2
- NEW MaxFlo 2 with Pack-Out Protection
- Watchdog Pump Protection System
- · Easy Out Pump Filter
- Precision Advantage Drive
- MaxPower Motor
- Heavy-Duty Prime Valve
- · Rugged, Durable Cart Design

STREAMLINE YOUR BUSINESS

BlueLink Job and Sprayer Management System

TEXSPRAY MARK IRONMAN SERIES	PART #	GPM (LPM)
Mark V	17E607	1.35 (5.1)



HD STANDARD SERIES

EVERYDAY RELIABILITY

Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths, and heavier coatings with ease.



THE MOST RELIABLE PUMP

New Endurance Chromex Piston Pump

- · Lasts 2X longer than the next leading brand
- Long-life ceramic and stainless steel balls included for maximum versatility
- · Faster cleaning with the QuikAccess intake foot valve

LESS PACK-OUT, MORE PRODUCTIVITY

New MaxFlo 2 with Pack-Out Protection

- · Self-cleaning Vibra-Seal Technology eliminates material buildup
- · Continuous spraying with True Pack-Out Protection for more productivity
- · Optimized fluid passageways for the heaviest coatings

CONSISTENT SPRAY FAN AND PRESSURE CONTROL

SmartControl 3.0

 Ideal for low overspray applications with the lowest dead band at any pressure

THE LONGEST LASTING DRIVE

Precision Advantage Drive

- The most durable, longest lasting drive in the industry
- Lifetime warranty

EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

· Easier filter cleaning and less mess with fewer tip clogs ensure a quality finish

RUGGED AND EASY TO MOVE

Durable Cart Design

- · Withstands tough jobsite conditions while absorbing impacts and vibrations
- · Easy hose storage with integrated hose wrap and telescoping handle
- · Easy loading with built-in lift handles

RELIABLE, POWERFUL, AND EASY TO START

Honda GX Engine

• Oil Alert shuts down engine to prevent damage if oil level drops too low



All Texspray 7900 HD sprayers feature Graco's MaxLife Pump:

- Lasts 6X longer between repacks
- Features exclusive hardened MaxLife sleeve and rod
- · Oversized clearances ensure minimal pressure drop

TEXSPRAY HD STANDARD SERIES	PART #	GPM (LPM)
5900 HD	17E839	1.6 (6.0)
7900 HD	17E841	2.2 (8.3)

HD PROCONTRACTOR SERIES



WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



LONGER PUMP LIFE

New MaxLife Endurance Vortex Piston Pump

- Oversized passages for high velocity flow to rotate piston for even wear
- Go 6X longer between repacks with innovative MaxLife coating
- · Longest life packings and piston rod
- Long-life ceramic and stainless steel balls included for maximum versatility



ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

Swap your pump in less than 1 minute
 — with no tools, pins, or parts to lose

EASY HOSE MANAGEMENT

QuikReel Hose Management System

- Deploy and rewind up to 300 feet of hose in seconds
- · No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel

OUICK REFERENCE

LED Display

Easy-to-read display shows:

- · Pressure readout
- · Job/lifetime/gallon counter
- · Self-diagnostics



PREVENT PUMP DAMAGE

WatchDog Pump Protection System

- · Prevents dry pumping damage
- Automatically shuts pump down when paint runs out or if hose is damaged

HD ProContractor Series sprayers also include all Standard Series features:

- **NEW** MaxFlo 2 with Pack-Out Protection
- SmartControl 3.0
- · Easy Out Filter Manifold
- · Precision Advantage Drive
- Honda GX Engine
- · Heavy-Duty Prime Valve
- · Rugged, Durable Cart Design



TEXSPRAY HD PROCONTRACTOR SERIES	PART #	GPM (LPM)
5900 HD	17E840	1.6 (6.0)
7900 HD	17E842	2.2 (8.3)



IronMan Series sprayers are designed and built to handle the most brutal and demanding conditions — typically found on large commercial and industrial jobsites.



THE LONGEST DURABILITY AND LIFE

New MaxLife Extreme Endurance Vortex Piston Pump

Breakthrough Vortex Rotating Piston Technology:

- Oversized passages for high-velocity flow to rotate piston for even wear
- 3X pump rod life
- · Longest life packings and piston rod
- · Maximum versatility no matter what you're spraying
- · Long-life ceramic and stainless steel balls included for maximum versatility



ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

• Swap your pump in less than 1 minute - no tools, pins, or parts to lose



NEVER HAVE A FLAT AGAIN

Flat Proof Tires

· No tire puncturing from nails, screws, or any sharp debris

PREVENT PUMP DAMAGE

WatchDog Pump Protection System

· Automatically shuts pump down when paint runs out or if hose is damaged

OUICK REFERENCE

LED Display

Easy-to-read display shows:

- · Pressure readout
- · Job/lifetime/gallon counter
- Self-diagnostics

HD IronMan Series sprayers also include all Standard Series features:

- NEW MaxFlo 2 with Pack-Out Protection
- SmartControl 3.0
- Easy Out Filter Manifold
- · Precision Advantage Drive
- · Honda GX Engine
- · Heavy-Duty Prime Valve
- Rugged, Durable Cart Design



TEXSPRAY HD IRONMAN SERIES	PART #	GPM (LPM)
7900 HD	17E843	2.2 (8.3)

DUTYMAX™ STANDARD SERIES



EVERYDAY RELIABILITY

Graco's Standard Series of DutyMax hydraulic direct-immersion sprayers delivers durability and performance while easily handling the widest range of tip sizes, longer hose lengths, and heavier coatings.



THE MOST RELIABLE PUMP

Endurance Pump

- Lasts 2X longer than the next leading brand
- Better spraying performance and fast cleaning
- Long-life ceramic and stainless steel balls included for maximum versatility

EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

- Large filtering area for easier cleaning and fewer tip clogs ensure a quality finish
- Won't collapse or get stuck with inside out filtering process

INDOOR AND OUTDOOR USE

Honda GX Engine

- Quickly swap the gas engine for an electric motor in seconds — without tools!
- Available on DutyMax GH 230DI Convertible

REDUCED DOWNTIME

High-Capacity Cooling System

- Innovative design allows the pump to run cooler and more efficiently with extremly quite operation
- Easier and more thorough fluid changes
- · Reservoir cooling fins deflect more heat

MAINTENANCE-FREE HIGH-PRESSURE DUMPING CAPABILITY

Heavy-Duty Prime Valve

FINISH JOBS FASTER


High-Efficiency Hydraulic Motor

- Fast, responsive changeover
- Less maintenance and longer life with fewer moving parts
- 100% O-ring sealed fittings prevent leaks

RUGGED AND EASY TO MANEUVER

Durable Cart Design

- Withstands the tough jobsite conditions while absorbing impacts and vibrations
- Retractable handle doubles as coiled hose storage







DUTYMAX PROCONTRACTOR SERIES

WORK SMARTER, FINISH MORE JOBS

With features that enable you to work more efficiently, the ProContractor Series of DutyMax hydraulic airless sprayers delivers high speed and performance to help you get to the next job faster, saving you time and money.



EXTREME-DUTY MAXLIFE PUMP

Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- Lasts 6X longer between repacks
- Exclusive MaxLife Sleeve
- Oversized clearances ensure minimal pressure drop and increased performance
- · Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying



QuikReel Hose Management System

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling

IMPROVED FILTRATION

Crushproof Inlet Strainer

• Stands up to harsh impacts to maintain filtering and flow





ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

- Swap your pump in less than 1 minute - no tools, pins, or parts to lose
- · Eliminates costly jobsite downtime

DutyMax ProContractor Series sprayers also include all Standard Series features:

- · Easy Out Filter Manifold
- · High-Efficiency Hydraulic Motor
- · Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- · High-Capacity Cooling System



TEXSPRAY DUTYMAX PROCONTRACTOR SERIES	PART #	GPM (LPM)
DutyMax GH 230DI Convertible	24W962	2.35 (8.9)
DutyMax GH 230DI Convertible w/ Electric Motor (non-CSA)	24W963	2.35 (8.9)
DutyMax GH 230DI Convertible w/ Electric Motor (CSA)	24W964	2.35 (8.9)
DutyMax GH 300DI	24W968	3.0 (11.4)

TEXTURE ACCESSORIES

WORK FASTER AND MORE PRODUCTIVELY

From rugged guns and tips to hoses and hoppers, Graco's accessories let you customize your sprayer for maximum performance to help grow your business.



25-GALLON (95-LITER) TEXTURE HOPPER

This versatile large-capacity hopper connects directly to all airless texture sprayers. It boosts your productivity by minimizing material refills, and it's easy to attach and maneuver throughout the jobsite.

Part # 287987



AIR ATOMIZER KIT

Why limit what you can spray? The air atomizer kit attaches to the Heavy-Duty Texture Gun and the Flex Gun, allowing you to attach an air compressor to create decorative texture finishes such as orange peel, splatter, and knockdown.

Part # 244223 (no hose)

TEXS	PRAY RTX	AND GTX SPRAYERS									
	288629	RTX 650, RTX 1400sı Air Spray Trigge	r Gun								
60	288628	RTX 900/1250 Air Spray Trigger Gun									
GUNS	24S134	RTX 1500, 2000PI, 2500PI, and 5000PI Air Spray Trigger Gun with Threaded Connection									
9	24S135	RTX 5000px and 5500px Air Spray Trigger Gun with Threaded Connection									
	248093	GTX 2000EX Air Spray Trigger Gun with Threaded Connection									
	For use or	use on Pole Guns and FlexHead Guns (GTX only)									
	190943	3/16 in (5 mm) Nozzle	190945	5/16 in (8 m	5/16 in (8 mm) Nozzle						
	190944	1/4 in (6 mm) Nozzle	190946	3/8 in (9.5 m	ım) Nozzle						
	For use or	RTX 650, 900, 1250 and Hopper Guns	5								
	234153	Spray Nozzle Kit – includes 1 each of	4 mm, 6 mm	n, 8 mm, and 12	mm nozzles						
82	For use or	RTX Heavy-Duty Texture Gun and GT	X 2000 Serie	es Guns							
NOZZLES	15C883	3 mm Nozzle	15C885	6 mm Nozzle)		15C887	10 mm Nozzle			
Z	15C884	4 mm Nozzle	15C886	8 mm Nozzle)		15C888	12 mm Nozzle			
	For use or	RTX Heavy-Duty Texture Gun and GT	X Heavy-Dut	ty Texture Gun							
	24S142	WideTex Accessory Kit	24S138	WideTex Tip,	Hardened, W	3, 6-Pack					
	24S143	WideTex Accessory Kit, Hardened	24S139	WideTex Tip, Hardened, W10, 6-Pack							
	24S136	WideTex Tip, Hardened, W4, 6-Pack	24S140	WideTex Tip, Hardened, W12, 6-Pack							
	24S137	WideTex Tip, Hardened, W6, 6-Pack	24S141	WideTex Tip, Hardened, WXL, 6-Pack							
	288622	RTX 650 Hose Clear Braided Hose Kit: 3/4 in x 20 ft (19 mm x 6 m) Fluid Hose									
	17J454	RTX 900, 1250, and 1400SI Braided Hose Kit: 3/4 in x 25 ft (19 mm x 7.6 m) Fluid Hose and 3/8 in x 25 ft (9.5 mm x 7.6 m) Air Hose									
	RTX Stand	lard Replacement Hose									
	17J454	Blue Translucent Hose Kit: 3/4 in x 25	ft (19 mm x	7.6 m)	17L004	Blue Translu	Translucent Hose Kit: 1-1/4 in x 25 ft (31.7 mm x 7.6 m)				
	17J420	Blue Translucent Hose Kit: 1 in x 25 fl	t (25.4 mm x	7.6 m)	17L006	Blue Translu	cent Hose Kit	: 1-1/4 in x 35 ft (31.7 mm x 10.7 m)			
HOSES	17L001	Blue Translucent Hose Kit: 1 in x 35 fl	t (25.4 mm x	10.7 m)	17L008	Blue Translu	cent Hose Kit	: 1-1/4 in x 50 ft (31.7 mm x 15 m)			
훈	17J421	Blue Translucent Hose Kit: 1 in x 50 ff	t (25.4 mm x	15 m)							
	RTX, GTX	Heavy-Duty Hose									
	17L010	Blue Solid Heavy-Duty Hose Kit: 1 in x	(10 ft (25.4 m	nm x 3 m) Whip	17L005	Blue Translu	cent Hose Kit	: 1-1/4 in x 25 ft (31.7 mm x 7.6 m)			
	17L000	Blue Solid Heavy-Duty Hose Kit: 1 in 2	x 25 ft (25.4 r	mm x 7.6 m)	17L007	Blue Translu	cent Hose Kit	: 1-1/4 in x 35 ft (31.7 mm x 10.7 m)			
	17L001	Blue Solid Heavy-Duty Hose Kit: 1 in 2	x 35 ft (25.4 r	mm x 10.7 m)	17L009	Blue Translu	cent Hose Kit	: 1-1/4 in x 50 ft (31.7 mm x 15 m)			
	17L003	Blue Solid Heavy-Duty Hose Kit: 1 in 2	x 50 ft (25.4 r	mm x 15 m)							
	287314	RotoFlex HD Pump Hose: for use with	RTX 1500, R	TX 5000pi, RTX	5000px, RTX 5	5500px					
	288623	RotoFlex II Pump Hose: for use with F	TX 650, RTX	900, RTX 1250,	RTX 1400sı, F	RTX 2000pi, RT	Х 2500рі				
	287328	RTX 1500, External Air Kit – connect	a separate aiı	r compressor fo	r increased at	omization ener	gy				
MISC	17M550	RTX 5000 and 5500 External Air Kit -	connect a se	parate air comp	ressor for inc	reased atomiza	tion energy				
≥	248112	GTX 2000 Series Siphon Kit: for pump	oing directly f	rom your mix co	ontainer						
	248117	GTX 2000 Series Air Line Kit: for remo	ote operation	of the GTX 2000	Oex Air Compr	essor					
	248515	Sponge Ball Clean-Out Kit: for 1 in (2	5 mm) ID Hos	se, Qty 5							
	15T647	50 ft (15 m) 240 V Extension Cord for	RTX 5500 ar	nd Mark X							
		<u> </u>									











TEXSPRA	Y T-MAX			
1101 111	Air-Assist	ed		
	17Y910	STX Air Assist Texture Trigger Gun and WideTex	Kit (Includes	3 4. 6. 8. 10. 12 in Nozzles)
ES	17Z128	FreeFlo Inline Gun (Includes 4, 6, 8, 10 mm Noz	·	•
ATO	24B945	Flex Head Pole Gun (Includes 1/3, 1/2, 9/16, 5/	8, 11/16, 3/4	I in Nozzles)
APPLICATORS	24B944	Rigid Pole Gun 3 ft (Includes 1/3, 1/2, 9/16, 5/8	3, 11/16, 3/4	in Nozzles)
AP [Airless			
	17Y907	Heavy-Duty Inline Airless Gun (Includes 651 Tip)	
	17Z054	Inline Airless/Air-Assist Lance (Includes 651 Tip)	
- 5 60	289922	18 Mesh with Scraper (for Lance 17Z054)	277789	Filter Scraper (for Lance 17Z054)
AIRLESS TIPS, FILTERS,GUARDS, AND EXTENSIONS	289923	30 Mesh with Scraper (for Lance 17Z054)	15X791	Flow Through Filter Plug (for Lance 17Z054)
SSS 'S,GU	LTX-XXX	RAC X Heavy-Duty Switch Tip	287020	15 in RAC X Tip Extension (4050 psi)
ARE NO E	246215	Guard RAC X with 7/8 in Threads	287021	20 in RAC X Tip Extension (4050 psi)
	287019	10 in RAC X Tip Extension (4050 psi)	287022	30 in RAC X Tip Extension (4050 psi)
	17Z187	1 in x 50 ft Material Hose	17Z148	50 ft Air Hose with STX Remote Wire
, se	17Z188	1 in x 100 ft Material Hose	17Z151	100 ft Air Hose with STX Remote Wire
HOSES	18A559	3/4 in x 100 ft Material Hose	17Z506	1 in x 50 ft Solvent Resistant Hose
=	18A560	3/4 in x 50 ft Material Hose	17Z508	1 in x 100 ft Solvent Resistant Hose
	289959	3/4 in x 10 ft Material Hose	17Z500	3/4 in x 10 ft Solvent Resistant Hose
		ssist Texture Trigger Gun	Inline La	
	17Z563	4 mm	248888	3 mm
	17Z564	6 mm	248524	4 mm
	17Z565 17Z566	8 mm 10 mm	248525 248526	6 mm 8 mm
	17Z567	12 mm	248527	10 mm
		Flex Head Air-Assist Gun		Flex Head Air-Assist Gun
<u> </u>		Steel Nozzles		Steel Nozzles
NOZZLES	16A444	Size 4 (1/4 in)	128459	3/8 in Orifice
 2	16A445	Size 5 (5/16 in)	128460	1/2 in Orifice
	16A446	Size 6 (3/8 in)	128461	9/16 in Orifice
	16A447	Size 7 (7/16 in)	128462	5/8 in Orifice
	16A448	Size 8 (1/2 in)	128463	11/16 in Orifice
	Dala and F	The Hand Sin Anniat Com Name to Company and Anna	128464	3/4 in Orifice
		Flex Head Air-Assist Gun Nozzle Caps and Acce		Con Namela Datainau Haud
	16A420 16A405	Cap Nozzle Retainer Soft Cap Nozzle Retainer Medium	16A421 17Z508	Cap Nozzle Retainer Hard Fine Finish Adaptor
	25M530	ToughTek® CM 20 Continuous Flow Mixer (120		Tille Fillish Adaptol
	248515	Sponge Ball Cleanout Kit for 1 in Hose (Qty 5)	voity	
	17Y905	Prime Valve Kit		
	25E693	55 Gallon Suction Set (Includes Suction Set and	d Qd Foot Val	ve)
	25E692	5 Gallon Cleaning Suction Set		
	17Z571	HTX 2030 STX Conversion Kit with 50 ft Hose (Includes: ST	K Gun, Material Hose, Air Hose w/Remote Wire,
	17Z572		(Includes: S	TX Gun, Material Hose, Air Hose w/Remote Wire,
	17Z57Z	Nozzles, Air Manifold, Fittings) Pump O-Ring Repair Kit (Qty 6)		
	17Z557	Solvent Resistant Pump 0-Ring Kit (Qty 6)		
MISC.	620223	Pump Clamp		
Σ	17Z232	Rubber Inlet Ball Kit (Qty 5) (For Use With Hard	Aggregate M	laterials)
	17Z556	Steel Ball Kit (Inlet and Outlet Ball Qty 1 Each)		
	17Z648	Standard Ceramic Ball Kit (Inlet and Outlet Qty	1 Each)	
	17Z640	Heavy-Duty Ceramic Ball Kit (Inlet and Outlet Q	ty 1 Each)	
	17Z558	Inlet Foot Valve with Carbide Seat		
	15R609	Hopper Inlet Replacement Grommet		
	17Z224	50 Pack of Hose Lubricant to Reduce Packout		
	19A646	Hopper Scraper		
	16W601	Female x Female QD Hose Coupling for Clearin		
	17Z183	25 Gallon Hopper Module (Includes Hopper, Fra	ıme, wneels)	

NOZZLE SELECTION GUIDE

NOZZLE SIZE	3 MM	4 MM	5 MM	6 MM	8 MM	9.5 MM	10 MM	11 MM	13 MM	14 MM
INTERIOR SMOOTH MATERIAL	Fine Finish Orange Peel/ Fog	Fine Finish Orange Peel/ Fog	Orange Peel, Small Splatter	Orange Peel, Small Splatter	Splatter, Small to Medium Knockdown	Acoustics/Popcorn, Splatter, Medium Knockdown	Acoustics/ Popcorn, Large Knockdown	Acoustics/ Popcorn, Large Knockdown	Acoustics/ Popcorn, Large Knockdown	Acoustics/ Popcorn, Large Knockdown
EXTERIOR AGGREGATE MATERIAL	up to 1.0 mm (maximum)		up to 1.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)		up to 2.5 mm (maximum)		up to 2.5 mm (maximum)	up to 2.5 mm (maximum)

 $^{{}^*\!}Nozzle\ size\ requirement\ could\ vary\ based\ on\ material\ viscosity,\ desired\ finish,\ production\ rate,\ and\ air\ settings.$

∞										
GUNS	246468	Flex Plus Gun	241705	Heavy-Duty Blue Texture Gun	245820	Inline Heavy-Duty Textu	ire Gun			
HOSE KITS	241338	Heavy-Duty Blue Texture Gun Hose Kit with RAC X LTX 531 SwitchTip 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi Hose, 1/4 in x 3 ft (6.4 mm x 0.9 m) 3300 psi Whip Hose, Couplers, and additional RAC X LTX 427 SwitchTip								
HOSE	289585	Inline Heavy-Duty Texture (9.5 mm x 3.6 m) Whip He		(it with RAC X LTX 643 SwitchTip 1 and Fittings	/2 in x 50 ft (*	13 mm x 15 m) 4000 psi l	Hose, 3/8 in 3	x 12 ft		
HOPPER	287987	25 Gallon (95 Liter) Texture Hopper directly connects to Mark IV, Mark V, Mark X 240 V, 5900 HD, 5900 Convertible, 7900 HD, DutyMax GH 230di Convertible, DutyMax GH 300DI								
=	243380	Cam-Lock Hose Adapter (Connects the	e Texture Hopper to the GMAX II 79	00, 1030 FC ເ	ınits, or HTX 2030 Spraye	rs			
	244052	Heavy-Duty Texture Gun A	Air Atomizer	Kit with Air Hose (minimum air con	npressor ratin	g of 15 cfm at 90 psi)				
MISC	244223	Heavy-Duty Texture Gun Air Atomizer Kit without Air Hose (minimum air compressor rating of 15 cfm at 90 psi)								
ਂ	289669	55 Gallon Siphon Kit for N	1ark X 240 V	/, 7900 HD, DutyMax GH 230di Con	vertible, Duty	Max GH 300di				
	15T647	50 ft (15 m) Extension Co	rd for Mark	X 240 V and RTX 5500						
HTX 2	2030 COM	PLETE, HTX 2030 CO	MPLETE F	PLUS+ SPRAYERS						
	17Y910	STX Air Assist Texture Trig	ger Gun and	d WideTex Kit (Includes 4, 6, 8, 10,	12 in Nozzles					
	24B327	FreeFlo Inline Gun with 4, 6, 8, 10 mm Nozzles, 18 and 30 Mesh Filters, RAC X LTX 671 Tip and Guard								
	24B944	Pole Gun 3 ft (1 m) with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter								
	24B945	Flex Head Gun with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter								
62	241705	Heavy-Duty Blue Texture Gun								
	24R054	HTX 2030 Trigger Gun Applicator								
2	FreeFlo Inline Gun									
	287227	Fine Finish Kit includes 3 mm, 6 mm, 8 mm, 9.5 mm Spray Discs, Retaining Nut, and Adapter								
GUNS AND NOZZLES	248888	3 mm Nozzle	248525	6 mm Nozzle	248527	10 mm Nozzle				
5	248524	4 mm Nozzle	248526	8 mm Nozzle						
	Pole And	Flex Head Pole Guns								
	16A443	5 mm Nozzle	16A446	9.5 mm Nozzle	16A449	14 mm Nozzle	16A246	Fine Finish Adapter		
	16A444	6 mm Nozzle	16A447	11 mm Nozzle	16A405	Cap, Nozzle – Medium				
	16A445	8 mm Nozzle	16A448	13 mm Nozzle	16A421	Cap, Nozzle – Hard				
KITS	24B300	3/4 in x 50 ft (19 mm x 1	5 m) Fluid H	ose With Remote On/Off Switch						
물물	17S244	3/4 in x 100 ft (19 mm x	30 m) Fluid l	Hose with Remote On/Off Switch						
KA	24B140			mp Kit includes High-Pressure Low si Whip Hose, and RAC X LTX 643 S		ty Texture Gun, 3/8 in x 50) ft Hose (9.5	5 mm x 15 m),		
4.	287987	25 Gallon (95 Liter) Textu	re Hopper							
	243380	Cam-Lock Hose Adapter	connects Tex	cture Hopper to the HTX 2030 High	-Output Textu	re Pump				
	24C414	Ball Valve Material Shutof	f Kit							
PRES	IDENT 10:	1, 1030 FC SPRAYER	8							
2 13	235490	10:1 President Air Spray (Gun							
HOSE	235737	1030 FC Hose Kit 3/4 in x	50 ft (19 m	m x 15 m) Fluid Hose, 1/2 in x 50 t	t (13 mm x 1	5 m) Air Hose				
TEXS	PRAY FAST	FINISH SPRAYERS								
	25D496	FastFinish Pressure-Boos	ted Hopper (Gun	17V694	Nozzle Kit (4 mm, 6 mm	, 8 mm) (Fast	Finish and G-TEX Gun		
	25D497	G-TEX Metal Bodied Grav			26A563	3/8 in x 50 ft Non-mark	. , ,			
⊆ ∽ '										

31











				-			,		
		TexSpray RTX 1400sı	TexSpray RTX 2000pi	TexSpray RTX 2500pi	TexSpray RTX 5000pi	TexSpray RTX 5000px	TexSpray RTX 5500px 240 V	TexSpray GTX 2000ex	TexSpray FastFinish
Ş	Max psi (bar)	70 (4.8)	70 (4.8)	100 (6.9)	100 (6.9)	100 (6.9)	100 (6.9)	120 (8.3)	N/A
PERFORMANCE	Max gpm (lpm)	1.4 (5.3)	2.0 (7.6)	2.5 (9.5)	5.0 (19)	5.0 (19)	5.5 (21)	4.0 (15.1)	N/A
	Motor	1.7 hp	1.7 hp	1.7 hp	2.0 hp	2.0 hp	2.0 hp	N/A	2.0 hp
COMPRESSOR	Compressor Air Output	6.1 cfm at 20 psi .17 m³/min	6.1 cfm at 20 psi .17 m³/min	6.1 cfm at 20 psi .17 m³/min	8.6 cfm at 20 psi .24 m³/min	8.6 cfm at 20 psi .24 m³/min	9.1 cfm at 20 psi .26 m³/min	User Supplied Air Compressor Required Minimum Require- ments: 12 cfm at 100 psi.33 m³/min	9.0 cfm at 40 psi .25 m³/min
	Gun	Lightweight Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	FastFinish Pressure Boosted (Pro Model) G-TEX Gravity-Feed (Standard Model)
	Hose	3/4 in x 25 ft (19 mm x 7.6 m)	1 in x 25 ft (25.4 mm x 7.6 m)	1 in x 25 ft (25.4 mm x 7.6 m)	1 in x 25 ft (25.4 mm x 7.6 m)	1-1/4 in x 25 ft HD (32 mm x 7.6 m)	1-1/4in x 25 ft HD (32 mm x 7.6 m)	1 in x 25 ft (25.4 mm x 7.6 m)	3/8 in x 50 ft Non-Marking Air Hose (Standard and Pro Models)
DES	Max Hose Length	25 ft (7.6 m)	50 ft (15.2 m)	75 ft (23 m)	100 ft (30 m)	100 ft (30 m)	100 ft (30 m)	100 ft (30 m)	150 ft (46 m)
INCLUDES	Tips	4 mm, 6 mm, 8 mm,10 mm round nozzles	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter	3 mm, 4 mm, 6 mm, 8 mm, 10 mm,12 mm round nozzles WideTex Adapter	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles	4 mm, 6 mm, 8 mm nozzles
			with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	with Hardened 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	with Hardened 4 mm 6 mm, 8 mm, 10 mm, 12 mm XL W tips		WideTex Adapter with 4 mm, 6 mm, 8 mm tips
SN	Weight lb (kg)	63 (28.5)	70 (31.7)	72 (32.6)	159 (72.1)	163 (73.9)	163 (73.9)	95 (43)	Air Compressor: 68 lbs (27) FastFinish Gun: 4.8 (2.2) G-TEX Gun: 4.1 (1.9)
DIMENSIONS	Dimensions	20 W x 24 L x 41 H in (51 W x 61 L x 104 H cm)	22 W x 24 L x 41 H in (46 W x 56 L x 104 H cm)	22 W x 24 L x 41 H in (46 W x 56 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	26 W x 27 L x 40 H in (66 W x 88 L x 102 H cm)	15 W x 22 L x 37 H in (38 W x 56 L x 94 H cm)
	Hopper gal (liter)	10 (38)	13 (49)	15 (57)	15 (57)	15 (57)	15 (57)	17 (64)	1.5 (5.7)
MANUALS	Operation	3A3258	3A3258	3A3258	3A3265	3A3265	3A3265	313384	3A5542
1	Repair	3A3258	3A3258	3A3258	3A3265	3A3265	3A3265	313385	3A5542
AL APPLICATIONS	Materials Sprayed	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic, drywall mud, elastomerics, deck coatings, and some cement-based materials	Simulated acoustic, drywall mud, elastomerics, deck coatings, and some cement-based materials	Simulated acoustic, drywall mud, elastomerics, deck coatings, and some cement-based materials	Acoustics, acrylics, drywall mud, elastomeric, deck coatings, fireproofing, waterproofing, cement-based materials
TYPICAI	Surfaces	Residential and light commercial interiors	Residential and light commercial interiors	Residential and light commercial interiors	Residential and light commercial interiors	Residential and commercial exteriors	Residential and commercial exteriors	Residential and commercial exteriors	Residential and commercial interiors and exteriors
MODEL	Part Number	17H572	17H573	17U219	17H575	17H579	17H581	257030	FastFinish Pro: Complete System 25D492 FastFinish Standard: Complete System 25D494 FastFinish CF9 Air Compressor Only: 25D490 FastFinish Pressure-Boosted Gun Only: 25D496 G-TEX Gravity-Feed Gun Only: 25D497



		TexSpray T-MAX 6912
	Maximum Tip Size	0.071
LIONS	Maximum psi (bar)	1000 (69)
SPECIFICATIONS	Maximum gpm (lpm)	3.2 (12)
\$	Motor/Engine	2.0 hp Brushless DC
	Voltage	120V

	ТҮРЕ	50 FT Air-Assisted w/STX Gun and Hopper	50 FT Airless Model w/Lance and Hopper	100 FT Air-Assisted w/STX Gun and Hopper	100 FT Air-Assisted w/STX Gun, Mixer and Hopper	100 FT Air-Assisted w/STX Gun and 55 Gallon Siphon Set
MODEL	Part Number	17Z283	17X989	17Z284	17Z703	18A556
	T-MAX 6912 Pump Module	•	•	•	•	•
	Hopper	25 Gallon	25 Gallon	25 Gallon	25 Gallon	-
	Gun	STX Air-Assist Texture Trigger Gun	Heavy-Duty Inline Lance	STX Air-Assist Texture Trigger Gun	STX Air-Assist Texture Trigger Gun	STX Air-Assist Texture Trigger Gun
INCLUDES	Hoses	1 in x 50 ft Material Hose 3/4 in x 10 ft Whip Hose	1 in x 50 ft Material Hose 3/4 in x 10 ft Whip Hose	1 in x 100 ft Material Hose 3/4 in x 10 ft Whip Hose	1 in x 100 ft Material Hose 3/4 in x 10 ft Whip Hose	3/4 in x 100 ft Material Hose 3/4 in x 10 ft Whip Hose
	Round Nozzles	4 mm, 6 mm, 8 mm, 10 mm, 12 mm		4 mm, 6 mm, 8 mm, 10 mm, 12 mm	4 mm, 6 mm, 8 mm, 10 mm, 12 mm	4 mm, 6 mm, 8 mm, 10 mm, 12 mm
	Tip(s)	WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips	8 mm, 10 mm, 12 mm XL 0651		WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips	WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips
	Misc.	-	-	-	CM20 Continuous Mixer	55 Gallon Siphon Set





HD Poly



V-Max Blue

HD Poly

		10:1 President			TexSpray HTX 2030 Complete		y HTX 2030 ete Plus+
PERFORMANCE	Max psi (bar) Max gpm	1000 (70)		For Spraying	For exterior aggregate and smooth finishes as well as common interior texture finishes, such as orange peel,	finishes, as well	egate and smooth as common interior Can also airlessly
PERFO	(lpm)	3.0 (11)			splatter, knockdown, and simulated acoustic	'''	, Level 5, primers,
	Motor	President Air		INCLUDES:	ominiated acoustic	unu punto	
COMPRESSOR	Compressor Air Output	User Supplied Minimum Air Compressor Rating: 80 cfm at 90 psi for best results		High-Output Piston Texture Pump	•		•
	Gun	Heavy-Duty Air Spray	SNOI	Texture Gun and 3/4 in	STX Trigger Gun and 50 ft hose (26C681) STX Trigger Gun and 100 ft	• STX Trigger Gur (26C683) • STX Trigger Gur	
INCLUDES	Max Hose Length	200 ft (60.7 m)	SPRAYER CONFIGURATIONS	(19 mm) Hose	hose (26C682) • FreeFlo Inline Gun and 50 ft hose (258740)	(26C684)	un and 50 ft hose
	Nozzle	6 mm	25	55-Gallon Suction Set	•		•
DIMENSIONS	Weight lbs (kg)	43 (20) Pump Only	SPRAY	Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in, and 3/8 in Nozzles	•		•
	Dimensions	5 L x 5 W x 57 H (18 W x 145 L cm)		4, 6, 8, 10 mm Nozzles	•		•
SE	CS Models	306402		RAC X LTX 671 Airless Tip	•		•
MANUALS	SST Models	309489		MaxLife Endurance High Pressure Airless Pump	Optional (Pump Kit 24B140)		•
SNC	Materials Sprayed	Smooth to heavily aggregated textures with silica sand, perlite, vermiculite, and polystyrene;		3/8 in x 50 ft (9.5 mm x 15 m) Blue- Max II Hose and 3 ft (1 m) Whip Hose	N/A		•
CATIC		smooth, medium, coarse, and extra coarse grade	RAC X LTX 643 Airless Tip		N/A		•
TYPICAL APPLICATIONS	Ourford	Harris dada araida akida arad			High-Output Texture Pump	With High-Output Texture Pump	With MaxLife Endurance High- Pressure Pump
E	Surfaces	Heavy-duty residential and commercial interiors and		Maximum Tip Size	0.071	0.071	0.048
		exteriors		Maximum gpm (lpm)	3.0 (11)	3.0 (11)	2.2 (8.3)
	Part	Carbon Steel Complete – 225886		Maximum psi (bar)	1000 (70)	1000 (70)	3300 (227)
	Number	• Heavy-Duty Air Spray Gun • 6 mm Nozzle • 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose		Honda Engine cc (hp at 3600 rpm)	200 (6.5)	2	00 (6.5)
		3/4 in x 25 ft (19 mm x 7.5 m Air Hose 3/4 in x 25 ft (19 mm x 7.5 m) High Pressure Material Hose Carbon Steel Complete – 225877 SST Complete – 987429		User-supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm at	for some texture compressor ratin	compressor required finishes. Minimum air g 25 cfm at 90 psi par) for best results	
MODE		Heavy-Duty Air Spray Gun 6 mm Nozzle 3/8 in x 100 ft (9.5 mm x 30 m) Air Hose	ICAL SI		90 psi (708 lpm at 6.2 bar) for best results		
		3/4 in x 25 ft (19 mm x 7.5 m Air Hose 3/4 in x 50 ft (19 mm x 15 m)	TECHI	Weight lbs (kg)	155 (70)	155 (70)	150 (68)
		High-Pressure Material Hose 1 in x 50 ft (25 mm x 15 m) High-Pressure Material Hose	-	PUMP:	0.11.6	0 " 4	0.11.5
		THIGHT I GOODIE WAREHAL FUSE		Intake	QuikAccess	QuikAccess	QuikAccess
		SST Bare – 954088		Rod	Hard Chrome	Hard Chrome	Chromex
				Sleeve	Hard Chrome	Hard Chrome	MaxLife

Packings

		TexSpray Mark IV				
	Maximum Tip Size	0.033				
SNO	Maximum psi (bar)	3300 (227)				
	Maximum gpm (lpm)	1.10 (4.1)				
SPECIFICATIONS	Motor/Engine	MaxPower 2.2 hp Brushless DC				
SPECI	Control	SmartControl 3.0				
	Weight Ib (kg)	108 (49)				
_	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes				

TexSpray Mark V
0.039
3300 (227)
1.35 (5.1)
MaxPower 2.8 hp Brushless DC
SmartControl 3.0
135 (61)
Compressor and Air Atomizer Kit required for some texture finishes











Leading &		•	
SERIES TYPE		STANDARD	PROCONTRACTOR
MODEL	Part Number	17E603	17E604
	BlueLink	•	•
**	Gun	Flex Plus	Flex Plus
INCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
	Tip(s)	RAC X LTX 425	RAC X LTX 425
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
	Туре	QuikChange System	ProConnect 2
₽	Rod	Chromex	MaxLife w/ Vortex
PUMP	Sleeve	Hardened SST	MaxLife
	MaxFlo 2	•	•
		-	QuikReel
		FastFlush 2	FastFlush 2
	ADDITIONAL SERIES FEATURES	-	-
FEATURES		WatchDog	WatchDog
		-	Crushproof Inlet Strainer
UAI	Operation	3A6342	3A6342
MANUAL	Parts	3A6342	3A6342
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials	Oil-based coatings, enamels, latex, block-fillers elastomerics, epoxies, drywall mud, and other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

	-	
STANDARD	PROCONTRACTOR	IRONMAN
17E605	17E606 (Canada) 17E628	17E607
•	•	•
Heavy-Duty Blue Texture	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture
3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
RAC X LTX 427 and 531	RAC X LTX 427 and 531	RAC X LTX 427 and 531
60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
QuikChange System	ProConnect 2	ProConnect 2
Chromex	MaxLife w/ Vortex	MaxLife Extreme w/ Vortex
Hardened SST	MaxLife	MaxLife
•	•	•
-	QuikReel	-
FastFlush 2	FastFlush 2	FastFlush 2
-	-	Flat Proof Tires
WatchDog	WatchDog	WatchDog
-	Crushproof Inlet Strainer	Crushproof Inlet Strainer
3A6342	3A6342	3A6342
3A6342	3A6342	3A6342
Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, other high-build materials
Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors

		TexSpray Mark X 240 V	
SPECIFICATIONS	Maximum Tip Size	0.045	
	Maximum psi (bar)	3300 (227)	
	Maximum gpm (lpm)	2.10 (7.9)	
	Motor/Engine	MaxPower 4.0 hp Brushless DC	
	Control	SmartControl 3.0	
	Weight lb (kg)	142 (64)	
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes	





			-
SERIES TYPE		STANDARD	PROCONTRACTOR
Part Number		17E608	17E609
	BlueLink	•	•
∞	Gun	Inline Heavy-Duty Texture	Inline Heavy-Duty Texture
INCLUDES	Hose	1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless Hose	1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless Hose
	Tip(s)	RAC X LTX 531 and 541	RAC X LTX 531 and 541
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
	Туре	QuikChange System	ProConnect 2
PUMP	Rod	Chromex	MaxLife w/ Vortex
	Sleeve	Hardened SST	MaxLife
MaxFlo 2		•	•
		-	QuikReel
		-	-
	ADDITIONAL SERIES FEATURES	-	-
		WatchDog	WatchDog
		-	Crushproof Inlet Strainer
JAI	Operation	3A6342	3A6342
MANUAL	Parts	3A6342	3A6342
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, and other high-build materials
	Surfaces	Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors

		TexSpray 5900 HD	
	Maximum Tip Size	0.043	
SPECIFICATIONS	Maximum psi (bar)	3300 (227)	
	Maximum gpm (lpm)	1.60 (6.0)	
	Motor/Engine	Honda 200 cc (6.5 hp)	
	Control	SmartControl 3.0	
	Weight lb (kg)	147 (67)	
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes	

TexSpray 7900 HD		
0.048		
3300 (227)		
2.20 (8.3)		
Honda 200 cc (6.5 hp)		
SmartControl 3.0		
159 (72)		
Compressor and Air Atomizer Kit required for some texture finishes		











SERIES TYPE		STANDARD	PROCONTRACTOR
Part Number		17E839	17E840
	Gun	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture
NCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
	Tip(s)	RAC X LTX 427 and 531	RAC X LTX 427 and 531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
	Туре	QuikChange System	ProConnect 2
PUMP	Rod	Chromex	MaxLife w/Vortex
	Sleeve	Hardened SST	MaxLife
MaxFlo 2		•	•
		_	QuikReel
	ADDITIONAL	-	Crushproof Inlet Strainer
	ADDITIONAL SERIES FEATURES	_	LED Display
	FEATURES	-	WatchDog
		_	-
UAL	Operation	3A6400	3A6400
MANUAL	Parts	3A6417	3A6417
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high-build materials
TYPICAL	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

STANDARD	PROCONTRACTOR	IRONMAN
17E841	17E842	17E843
Heavy-Duty Blue Texture	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture
3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
RAC X LTX 427 and 531	RAC X LTX 427 and 531	RAC X LTX 427 and 531
60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
QuikChange System	ProConnect 2	ProConnect 2
MaxLife	MaxLife w/Vortex	MaxLife Extreme w/Vortex
MaxLife	MaxLife	MaxLife
•	•	•
_	QuikReel	_
-	Crushproof Inlet Strainer	Crushproof Inlet Strainer
-	LED Display	LED Display
-	WatchDog	WatchDog
-	_	Flat Proof Tires
3A6400	3A6400	3A6400
3A6417	3A6417	3A6417
Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high-build materials Large residential and	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high-build materials Large residential and	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high- build materials Large commercial
commercial interiors and exteriors	commercial interiors and exteriors	and industrial interiors and exteriors

		TexSpray DutyMax GH 230dı Convertible	
	Maximum Tip Size	0.053	
	Maximum psi (bar)	3300 (227)	
SPECIFICATIONS	Maximum gpm (lpm)	2.35 (8.9) Gas Engine / 1.10 (4.2) Electric Motor	
	Motor/Engine	Honda 200 cc (6.5 hp)	
	Control	-	
	Weight lb (kg)	203 (92)	
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes	

TexSpray DutyMax GH 300bi		
0.057		
3300 (227)		
3.0 (11.4)		
Honda 270 cc (9.0 hp)		
<u>-</u>		
218 (99)		
Compressor and Air Atomizer Kit required for some texture finishes		









	SERIES TYPE	STANDARD	PROCONTRACTOR
Part Number		24W943 Gas Only 24W944 Gas and 120 V Electric (non-CSA) 24W945 Gas and 120 V Electric (CSA)	24W962 Gas Only 24W963 Gas and 120 V Electric (non-CSA) 24W964 Gas and 120 V Electric (CSA) 17G592 Diesel Only
	Gun	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture
INCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless Hose 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose
	Tip(s)	RAC X LTX 427 and 531	RAC X LTX 427 and 531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
	Туре	QuikChange System	ProConnect 2
PUMP	Rod	Hard Chrome	Hard Chrome
	Sleeve	Hardened SST	MaxLife
MaxFlo		•	•
		_	QuikReel
	ADDITIONAL	-	Crushproof Inlet Strainer
	ADDITIONAL SERIES	-	_
	FEATURES	-	-
		_	-
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials
TYPICAL /	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

STANDARD	PROCONTRACTOR
24W967	24W968
Inline Heavy-Duty Texture	Inline Heavy-Duty Texture
1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless Hose 3/8 in x 12 ft (9.5 mm x 3.7 m) BlueMax II Whip Hose	1/2 in x 100 ft (13 mm x 30 m) BlueMax II Airless Hose 3/8 in x 12 ft (9.5 mm x 3.7 m) BlueMax II Whip Hose
RAC X LTX 643 and WideRAC 1239	RAC X LTX 643 and WideRAC 1239
60 Mesh Easy Out	60 Mesh Easy Out
QuikChange System	ProConnect 2
Hard Chrome	Hard Chrome
Hardened SST	MaxLife
•	•
-	QuikReel
-	Crushproof Inlet Strainer
-	-
-	_
-	-
Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials
Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors



SPRAY WITH CONFIDENCE

Industry-Leading Warranty Protection

Behind every Graco sprayer is the industry's strongest warranty. You may never need to use Graco's warranty — but if you do, we will be there.

3-YEAR HONDA ENGINE WARRANTY*

If the engine fails from normal use, Honda will replace it under warranty for the original owner for 3 years.

LIFETIME DRIVETRAIN

WARRANTY (GMAX only)
If the drivetrain fails from normal
use, we'll replace it under warranty
for the original owner for the life
of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics See printed product warranty for complete warranty terms and conditions.



Finish Every Job, Every Time

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again. Depending on the sprayer you purchase:

Receive up to 70% OFF the list price of an Endurance Pump.

Follow the registration instructions included with your sprayer.



Every Graco purchase comes with A+ Customer Service.

Questions? Call (844) 241-9499

For more information visit graco.com